FLORIM

DECLARATION OF PERFORMANCE

No. **FLORIM 001** (EN) - Rev. 1

1. Unique identification code of the product type
   Dry-pressed ceramic tiles, with water absorption $E_b \leq 0,5$ %
2. Intended use(s)
   For internal and external walls and floorings
3. Name or registered trade mark, and contact address of the manufacturer
   FLORIM CERAMICHE S.p.A. SB,
   Via Canaletto, 24 - 41042 Fiorano Modenese (MO) – Italia
4. System(s) of assessment and verification of constancy of performance (AVCP)
   System 4
5. Name and identification number of notified laboratory, if relevant – **Not applicable**
   Task(s) carried out
   AVCP system
   Document issued and date of issue

6. Declared performances

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	**$A1_{FL}$/A1**	**Based on the decision 96/603/CE and its changes**
Release of dangerous substance, for:		**EN 14411:2012**
- Cadmium	**NPD**	
- Lead	**NPD**	
Breaking strength	**> 1300 N**	
Slipperiness	See table attached	
Tactility	**NPD**	
Bond strength/adhesion, for:		
Cementitious adhesive, type C2	**NPD**	
Thermal shock resistance	**Pass**	
Durability for:		
- internal use:	**Pass**	
- external use: freeze-thaw resistance	**Pass**	

The performance of the product identified in point 1 is in conformity with the declared performances in point 6. This declaration of performance is issued in accordance with regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.
This declaration is available on the website https://www.florim.com/en/declarations-of-performance-ce/.
Signed for and on behalf of the manufacturer by:

Bruni Donato – Amministratore Delegato

.....
Name and function

Fiorano Modenese, 29/04/2021

.....
Place and date of issue

.....
Signature

Allegato alla Dichiarazione di Prestazione
Attachment to Declaration of Performance
Annexe à la déclaration de performance
Anhang der Leistungserklärung
Anexo a la Declaración de Performance
Załącznik do deklaracji właściwości użytkowych
A Teljesítmény Nyilatkozat kiegészítő táblázata
Bijlage bij de prestatieverklaring
Navezanost na izjave o lastnostih
Aneks Izjave o svojstvima
No. FLORIM 001

Tabella - Scivolosità (dove richiesto dalla legislazione)
Table - Slipperiness (where required by regulation)
Table - Glissement (si requis par la loi)
Tabelle - Rutschsicherheit (wo erforderlich durch die Gesetzgebung)
Tabla - Deslizamiento (donde sea requerido por ley)
Tabela - Poslizgowosc (gdzie wymagane przez prawo)
Táblázat - Csúszásmentesség (ahol jogszabály szerint szükséges)
Tabel - Antislipwaarde (indien door de wetgever vereist)
Tabela - Drsnosti (samo ko tako zahteva državna zakonodaja)
Tablica - Otpornost na klizanje (gdje je ta zakonski zatraženo)

Rev. 17 del/of/de/vom/de/a 23.12.2025

Marchio / Brand / Marque / Marke / Marca / Znak handlowy / Márka / Merk / Znamka / Trgovačka marka

FLORIM - Contemporary Design

Serie / Series / Kolekcja / Serija	BCRA DM 236/1989 (ITA)	DIN EN 16165 Annex B (DE)	UNE EN 16165 Annex C (ESP)
ARTIFACT grip	>0,4	R12	N.P.D.
ARTIFACT naturale	>0,4	R10	N.P.D.
CASUAL LIFE 20mm grip	>0,4	R11	N.P.D.
CASUAL LIFE 9mm cannetè	N.P.D.	R10	N.P.D.
CASUAL LIFE 9mm grip PTV	N.P.D.	R11	N.P.D.
CASUAL LIFE 9mm matte	N.P.D.	R10	N.P.D.
EASY LIFE 20mm grip	>0,4	R11	N.P.D.
EASY LIFE 9mm grip	>0,4	R11	N.P.D.
EASY LIFE 9mm matte	>0,4	R10	N.P.D.
EASY LIFE 9mm silk matte	>0,4	R9	N.P.D.
ELEMENTAL STONE 20mm grip	>0,4	R11	N.P.D.
ELEMENTAL STONE grip	>0,4	R11	N.P.D.
ELEMENTAL STONE lucido	N.P.D.	N.P.D.	N.P.D.
ELEMENTAL STONE matte	>0,4	R10	N.P.D.
EXALT lucido	>0,4	N.P.D.	N.P.D.
EXALT naturale	>0,4	N.P.D.	N.P.D.
HI WOOD lucido	>0,4	N.P.D.	N.P.D.
HI WOOD naturale	>0,4	R10	N.P.D.
ICONIC LIFE 9mm glossy	N.P.D.	N.P.D.	N.P.D.
ICONIC LIFE 9mm grip PTV	>0,4	R11	N.P.D.
ICONIC LIFE 9mm matte	>0,4	R9	N.P.D.
MAPS bocciardato	>0,4	R11	N.P.D.
MAPS bocciardato 2 cm	>0,4	R11	N.P.D.
MAPS matte	>0,4	R10	N.P.D.
MATCH UP comfort	>0,4	R10	N.P.D.
MATCH UP grip	>0,4	R11	N.P.D.
MATCH UP grip 20 mm	>0,4	R11	N.P.D.
MATERIAL STONES bocciardato 20 mm	>0,4	R11	N.P.D.
MATERIAL STONES grip	>0,4	R11	N.P.D.

MATERIAL STONES matte	N.P.D.	R9	N.P.D.
NATURAL STONE bocciardato 20 mm	>0,4	R11	N.P.D.
NATURAL STONE grip	>0,4	R11	N.P.D.
NATURAL STONE matte	>0,4	R10	Classe 2
OAKY LIFE 9mm grip	>0,4	R11	N.P.D.
OAKY LIFE 9mm nat	>0,4	R10	N.P.D.
ROCK SALT bocciardato	>0,4	R11	N.P.D.
ROCK SALT lucido	>0,4	N.P.D.	N.P.D.
ROCK SALT matte	>0,4	R10	N.P.D.
STONE LIFE grip	>0,4	R11	N.P.D.
STONE LIFE matte	>0,4	R10	N.P.D.
TIMELESS grip	>0,4	R11	N.P.D.
TIMELESS lucido	>0,4	N.P.D.	N.P.D.
TIMELESS matte	>0,4	R9	N.P.D.
WOODSLATE LIFE 20 mm strutturato	>0,4	R11	N.P.D.
WOODSLATE LIFE matte	>0,4	R10	N.P.D.
WOODSLATE LIFE strutturato	>0,4	R11	N.P.D.